

# Hot Towel Warmer Cabinet With Sterilizer Adjustable Temperature (SKU1618024)



**SKIN+ACT**

Toll Free: 1.800.418.0830

[www.skinact.com](http://www.skinact.com)  
[www.spaandequipment.com](http://www.spaandequipment.com)

International: 818.834.6640

## NOTICE

No part of this document may be photocopied, reproduced, or translated into any other language without prior written consent of Spa and Equipment/SkinAct.

The information in this document is subject to change without notice at any time and should not be construed as a commitment by Spa and Equipment/SkinAct.

Spa and Equipment/SkinAct assumes no responsibility for any errors that may be in this document, nor does it make expressed or implied warranty with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

Spa and Equipment/SkinAct shall not be liable for incidental or consequential damages arising out of the furnishing, performance, or use of this document and the program material which it describes.

# SKIN+ACT

Toll Free: 1.800.418.0830	<a href="http://www.skinact.com">www.skinact.com</a> <a href="http://www.spaandequipment.com">www.spaandequipment.com</a>	International: 818.834.6640
---------------------------	--	-----------------------------

# Product Overview

## Hot Towel Warmer Cabinet With Sterilizer Adjustable Temperature

### I. Functions

Sterilization by Ultraviolet & Ozone

- Ultraviolet light from the sterilization tube generates ionization.
- Oxygen in the air produces ozone, which effectively kills or reduces:
  - E. coli
  - Staphylococcus aureus
  - Bacillus subtilis
  - Spores and viruses (including hepatitis B).
- Suitable for sterilizing towels and other beauty tools that are not heat-resistant.

### Sterilization by Heat (Hot Cabinet)

- High temperature sterilization ensures effective disinfection for towels and tools that can withstand heat.

## **2. Main Technical Parameters**

Power source: 110V/60Hz or 220V/50Hz (depending on model)

Rated input power: 240W

Sterilization time:  $\geq$  15 minutes

Volume: 10L (UV model) / 16L (Hot Cabinet model)

Electric shock protection category: Category I

## **3. Operating Instructions**

Place the articles or towels to be sterilized on the bracket inside the cabinet.

Close the door securely.

Turn on the Power Switch.

For ultraviolet sterilization, press the UV Switch (indicator light will turn on).

Sterilization begins automatically.

After sterilization, switch off the power, open the door, and remove sterilized items for use.

## **4. Important Safety Notes**

Always close the door before operating to prevent ozone leakage and ensure proper sterilization.

Do not overlap articles inside the cabinet; overlapping reduces the sterilization effect.

The inside temperature can be very high. Do not touch.

Disconnect the power supply before cleaning or maintenance.

To clean, use a soft towel with a small amount of neutral detergent. Wipe inside and outside, then clean again with a damp towel to remove residue.

Regularly clean the water plate as needed.

If any malfunction occurs, contact a qualified electrician. Only use replacement parts with the same specifications.

Always operate strictly according to instructions. The manufacturer is not responsible for accidents caused by improper use.

## 5. Parts Overview

Power Switch

Ultraviolet Switch

Handle

Box Door / Cover

Water Plate



