

Pro Double Drawer Cart (SKU18395)



SKIN+ACT

Toll Free: 1.800.418.0830

www.skinact.com
www.spaandequipment.com

International: 818.834.6640

NOTICE

No part of this document may be photocopied, reproduced, or translated into any other language without prior written consent of Spa and Equipment/SkinAct.

The information in this document is subject to change without notice at any time and should not be construed as a commitment by Spa and Equipment/SkinAct.

Spa and Equipment/SkinAct assumes no responsibility for any errors that may be in this document, nor does it make expressed or implied warranty with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

Spa and Equipment/SkinAct shall not be liable for incidental or consequential damages arising out of the furnishing, performance, or use of this document and the program material which it describes.

SKIN+ACT

Toll Free: 1.800.418.0830

www.skinact.com
www.spaandequipment.com

International: 818.834.6640

Pro Double Drawer Cart

This professional-grade salon cart is crafted with laminated wood and steel, combining durability with style. It features two smooth-gliding locking drawers, an open shelf for easy access, and a protective top tray with raised edges. Four non-stick caster wheels ensure effortless mobility.

Key Features

- . Solid wood and steel construction
- . Two secure locking drawers
- . Scratch- and stain-resistant surface
- . Smooth drawer glide system
- . Protective top tray edge
- . Open lower shelf for storage
- . Four easy-roll non-stick wheels
- . Includes metal arm for magnifier holder

Assembly Instructions

1. Install Wheels: Attach four wheels to the legs of both frames.
 2. Attach Frames: Secure the two side frames using provided screws.
 3. Install Drawers: Insert both locking drawers into their slots.
 4. Finalize Assembly: Ensure all screws are tightened and components are aligned.
- Tools Needed: Phillips screwdriver (not included)
 - Screws Included: M6×18 mm (17 pcs)

